

**MABAS DIVISION 10
TRAINING OFFICERS MEETING MINUTES
FEBRUARY 25, 2008**

ROLL CALL

Meeting was called to order by Forest Reeder at 10:15am.

SPECIAL PRESENTATION

DC Krupp presented Jay Nickleski of the Lemont Fire Protection District with the 2007 Training Officer of the Year award.

PREVIOUS MEETING MINUTES

Motion by Ken Till, 2nd by John Kiser to approve the January 28, 2008 meeting minutes.

INTRODUCTION OF GUESTS

Forest Reeder introduced meeting guests. Guest reports were as follows:

- Darryl Haefner (College of DuPage) – Absent. John Kiser reported that there has been a change in the Hazardous Materials Technician A class dates.

- Steve Sullivan (Office of the State Marshal) – Nothing to report at this time.

FINANCIAL REPORT

Chief's Account – Unavailable

Course Account – As of 1/31/08 is \$1,050.61.

CHIEF'S LIAISON REPORT

- DC Krupp reported that the proposed training at the Chicago Fire Department Academy has been approved by the Division 10 Chiefs. Training will include Standpipe Operations, High Rise Firefighting, and Open Area Search Operations.

- DC Krupp reported that the inter-divisional box alarm staging areas will remain as is stated in the Division 10 operating guidelines.

- DC Krupp reported that the criteria for the IMAT response personnel needs to be drafted into a guideline or SOP. This document should include information on the application, training, and testing process for all new and existing IMAT personnel. If anyone has any ideas regarding this issue, please forward them to Deputy Chief Krupp.

- DC Krupp reported that Division 10 will respond with an Incident Safety Officer (ISO) to inter-divisional box alarm responses. At this time, there is no response criteria on which ISO will respond.

COMMITTEE REPORTS

- Mark Rediehs reported that the newsletter has been posted on the MABAS Division 10 website. Mark is hoping to release another edition of the newsletter in the summer of 2008. He will be contacting the specialty teams for articles.
- John Kiser reported on the Division 10 monthly training program. SOP review classes were well attended. We will be adding a fourth class for the monthly training classes on Thursday mornings at McCook. Training for March will be Radiological Emergencies.
- John Kiser reported that April training will be on Elevator Emergencies. This portion of the training program will be classroom followed by on-site training at the Bolingbrook Hospital at a later date.
- Forest Reeder reported that the METRO Chiefs and the ISFSI have training seminars scheduled for April 3, 2008.
- Forest Reeder reported that on April 31, 2008, MABAS 10 Safety Officers will have Dr. Fragen present information on medical examinations and physical fitness for firefighters. More information on this class will be provided.
- Jay Nickleski reported that the MABAS 10 policy in-service power point, the MABAS 10 newsletter, the updated meeting schedule, and the January 28, 2008 meeting minutes have been posted on the Division 10 website.

OLD BUSINESS

- Forest Reeder reported that the Emergency Alert Tones for the dispatch centers was discussed. Dispatch centers or command cars should have the ability to send alert tones prior to 1888 arrival.
- Forest Reeder reported that the final draft copies of the position cards will be e-mailed for final review.
- Forest Reeder reported that Division wide training opportunities may be conducted at an auto dealership on LaGrange Road. Final details for the use of the facility are being completed. Training will include IMAT personnel and training on policy 450 procedures.

NEW PROJECTS/BUSINESS

There were no purchases for approval at this time.

GOOD OF THE ORDER

- Dan Ross advised members that Bolingbrook Fire Department hired their new Chief.
- Dave Zinther reported on the Westmont box alarm fire.

NEXT MEETING

The next meeting is scheduled for March 31, 2008 at Pleasantview. 8:30am for Safety Officer meeting and 10:00am for Training Officer meeting.

ADJOURNMENT

Motion was made by Dave Zinther, 2nd by Kevin Votava to adjourn.